GST 116 — An Integrated Investigation of Emergence

Formal Description

An integrated investigation reconstructs the causal architecture of an assembly and evaluates its suspected emergent capabilities. It identifies the components, their independent capabilities, the physical transfers between them, and the organisation that enables the assembly to produce or accept particular transfers.

The investigation distinguishes emergence from causal integration, including transfer internalisation, mediation and capability suppression. It also considers the maintenance, exercise and loss of capabilities; assembly, causal and epistemic levels; and the possible consequences of outputs for other systems. Claims of emergence remain provisional unless supported by evidence of organisational dependence and causal novelty.

Plain English Explanation

This final module brings together the ideas developed throughout the course. We will investigate an automated greenhouse ventilation system. It includes a temperature sensor, a controller, an electrical power supply, a motor, a vent mechanism and the greenhouse air.

The sensor responds to temperature and sends an electrical signal to the controller. The controller compares that signal with its operating settings and, when appropriate, sends an electrical command that causes the motor to move the vent. Opening the vent permits air exchange with the surroundings, which may change the greenhouse temperature. These effects depend on actual conditions, including the temperature and movement of outside air.


Trace the process component by component. The sensor does not open the vent, the motor does not independently decide when ventilation is needed, and the controller does not itself move the air. Their organisation may establish a coordinated temperature-responsive ventilation capability. But do not assume emergence merely because the complete arrangement behaves differently: investigate which capabilities already existed and what is genuinely dependent on the organisation.

Notice how the choice of boundary changes the description. Signals between the sensor, controller and motor are internal transfers when we treat the equipment as one assembly. Air crossing the greenhouse boundary is an external transfer. The same motor output may be external to the motor assembly but internal to the wider ventilation system.

A capability can remain available when the vent is not moving. A failed power supply or broken connection may prevent its exercise; damage to essential organisation may remove it. The equipment also sits within wider assemblies, such as a greenhouse or a food-production enterprise. Our chosen descriptive level may hide several distinct causal capabilities.

Finally, consider consequences beyond the equipment. Changing air exchange may affect humidity, plant growth, energy demand and the operation of other greenhouse systems. Some consequences may be helpful, others harmful, and none guarantees further emergence.

© John A Challoner, 2026.



Simplified causal architecture of an automated greenhouse ventilation system. Arrows label physical transfers; the dashed outline marks the equipment assembly. Air exchange crosses the greenhouse boundary. The diagram omits feedback detail and energy losses for clarity.

Examples

Automatic ventilation. A temperature sensor sends a physical signal to a controller, which regulates the supply of electrical energy to a motor. The motor transfers mechanical energy to a vent. The assembled system may establish temperature-responsive ventilation that the components cannot provide independently.

Causal integration. The sensor signal is mediated by the controller before it influences the motor. The motor may also be prevented from operating by a safety condition. Neither mediation nor suppression, by itself, proves that a new capability has emerged.

Nested systems and consequences. The motor and vent form part of a larger ventilation assembly, which forms part of the greenhouse. Ventilation changes transfers of air, heat and moisture across the greenhouse boundary and may influence plant growth. These effects must be investigated rather than assumed.

Provenance and Links

This module draws together the causal account developed in *Causal Assembly Theory* (Challoner, 2026) and *A Causal Account of Emergence* (Challoner, 2026), including the distinctions between emergent capabilities, causal integration and causal levels.

© John A Challoner, 2026.

Related course topics: understanding emergence; how an emergent capability works; physical transfers; recognising genuine emergence; maintenance and latency; causal integration; ontological hierarchies and causal levels; evolutionary change; and investigating emergence. No numbering is used so that references remain valid if the programme changes.

Practical Exercise

Investigate an automated greenhouse ventilation system, or select another familiar system with several interacting components. Draw its boundary and list its principal components. For each component, describe what it does independently and identify the physical transfers it produces or accepts.

Trace at least one complete causal pathway from an external input to an external output. Label the transfers and identify which are internal or external at two different assembly boundaries. Explain where transfers are mediated, internalised or suppressed.

Identify one suspected emergent capability. State what evidence would show that it depends on the organisation of the components and could not be produced or accepted by those components independently. Consider at least two alternative explanations for the observed behaviour.

Explain when the suspected capability exists, when it is exercised, and what would temporarily inhibit or permanently remove it. Distinguish assembly levels, possible causal levels and the epistemic levels used in your explanation.

Finally, identify two possible effects of the system's outputs on other systems, including at least one potentially adverse effect. Conclude with a short evidence-based judgement: what has been established, what remains uncertain, and what test would be most informative next.

© John A Challoner, 2026.